

Lighting Control Legend/Notes

ELECTRICAL/ MECHANICAL SYMBOLS


- LIGHTING/ SHADE CONTROL KEYPAD
-MOUNTING HEIGHT - +48" U.O.N.
- CS01 CONTROL STATION NUMBER
-SEE HOMEWORKS REPORTS FOR MORE DETAIL
- HOMEWORKS PANEL
-SEE HOMEWORKS REPORTS FOR MORE DETAIL
- OCCUPANCY SENSOR - CEILING MOUNTED - INTERIOR
-WATTSTOPPER DT-300/BZ-100
- OCCUPANCY SENSOR - WALL MOUNTED - EXTERIOR
-WATTSTOPPER EN-100-120-W (CONFIRM COLOUR)
- PHOTOSENSOR - WALL MOUNTED - EXTERIOR
-WATTSTOPPER EM-24D2
- FLOURECENT DIMMING INTERFACE - LOCATION BY OTHERS
-LUTRON GRX-FDBI-16A-120
- LED 0-10V DIMMING INTERFACE - LOCATION BY OTHERS
-LUTRON GRX-TVI

HOMEWORKS DESIGN BY

LARRY HOUSER CREATIVE
PO BOX 1033
DANVILLE, CA 94526
925/708-4409
LARRY@LHCREATIVE.COM

HOMEWORKS DESIGN REVISIONS

09.01.2009 - FIRST VERSION
11.17.2009 - UPDATED TO REFLECT FIXTURE SCHEDULE
12.18.2009 - UPDATED 5TH FLOOR LOAD SCHL, ADDED
OCC TO 'PATIO' ON THIRD FLOOR



Verify OCC placement prior to install. IMPORTANT:
Read spec sheet for Watt Stopper EN-100 for wiring
info.

LOCATE TRANSFORMER FOR
LANDSCAPING LIGHTING
UNDER STAIR

1 ROOF DECK PLAN - LIGHTING CONTROL
SCALE: 1/4"=1'-0"



Legend

ELECTRICAL/ MECHANICAL SYMBOLS

- DECORATIVE PENDANT FIXTURE
- SURFACE MOUNTED DECORATIVE CEILING LIGHT FIXTURE
- DECORATIVE WALL SCONCE
- RECESSED LOW VOLTAGE WALL WASHER
IRIS P3MR FMC3 (FLUSH MOUNT COLLAR)
- RECESSED LOW VOLTAGE DOWN LIGHT
IRIS P3MR E3MRAA FMC3 (FLUSH MOUNT COLLAR)
- RECESSED LV DOWN LIGHT, PIN-HOLE TRIM
IRIS P3MR E3PM FMC3 (FLUSH MOUNT COLLAR)
- RECESSED LV ACCENT LIGHT
IRIS P3MR E3OVAL FMC3 (FLUSH MOUNT COLLAR)
- RECESSED LOW VOLTAGE LENSED WALL WASH-REMODEL
IRIS RPN3MR E3LWW
- RECESSED LOW VOLTAGE SHOWER FIXTURE
IRIS P3MR E3AASR
- TRACK LIGHT
TBD
- MONOPOINT
TBD
- RECESSED FLOOR LIGHT FIXTURE
TBD
- WALL MOUNTED INTERIOR UP LIGHT
TBD
- RECESSED INTERIOR WALL LIGHT FIXTURE
TBD
- RECESSED EXTERIOR WALL LIGHT FIXTURE
TBD
- WALL MOUNTED EXTERIOR UP LIGHT
TBD
- EXPOSED STRIP LIGHT FIXTURE
- CONCEALED STRIP FLUORESCENT LIGHT FIXTURE
- LIGHTING/ SHADE CONTROL KEYPAD
-MOUNTING HEIGHT - +48" U.O.N.
- ELECTRICAL SWITCH
- 3-WAY SWITCH
- 4-WAY SWITCH
- DIMMER SWITCH
- JAMB SWITCH
- OCCUPANCY SENSOR
- SPEAKER OUTLET
- STRUCTURED AV CABLE
- DUPLEX OUTLET
- FOURPLEX OUTLET
- ELECTRICAL OUTLET, HALF-SWITCHED
- ELECTRICAL OUTLET, FULLY SWITCHED
- 240 V ELECTRICAL OUTLET
- FLOOR PLUG
- PLUG MOLD
- GFI GROUND FAULT INTERRUPT
- WP WATERPROOF
- FL FLUORESCENT
- SMOKE DETECTOR, HARD WIRED W/ BATTERY
- GAS OUTLET
- HOSE BIBB
- FLOOR DRAIN
- DS DOWNSPOUT
- T THERMOSTAT
- FL FLUORESCENT
- EXHAUST FAN
PANASONIC FV-07VQ2 (POWDER ROOM, LAUNDRY)
PANASONIC FV-11VQ2 (MASTER BATH, BATHROOM)

MECHANICAL NOTES

PROVIDE W.C. VENTILATION DIRECT TO EXTERIOR, BACKDRAFT
PROTECTED PER SFBC 1203.4.2.1

FURNACE COMPARTMENT:
PROVIDE COMBUSTION AIR VENTS WITHIN 12 INCHES OF
FLOOR AND CEILING PER SFMC 701.2

CLOTHES DRYER: DIRECT EXHAUST TO EXTERIOR USE STEEL,
SMOOTH BORE, MIN. 4" DIAMETER DUCT, BACKDRAFT
PROTECTED PER SFMC 908.1

ALL DRYER/LAUNDRY TO EXHAUST TO ROOF AND MAINTAIN
3'-0" MINIMUM SEPARATION FROM PROPERTY LINE AND 14'-0"
MAXIMUM EXHAUST LINE

ALL RESTROOM, KITCHEN AND LAUNDRY EXHAUST FANS TO
EXHAUST 3'-0" MINIMUM FROM PROPERTY LINE AND 3'-0"
MINIMUM FROM BUILDING OPENINGS.

ALL NON-FLUORESCENT EXTERIOR LIGHT FIXTURES TO HAVE
MOTION SENSORS WITH PHOTOCELLS.

BUILDING INSULATION:
EXTERIOR WALLS TO HAVE MINIMUM R-13 INSULATION.
ROOF/CEILING ASSEMBLY TO HAVE MINIMUM R-19 INSULATION.

Date	Issue Record
11.18.09	PERMIT
4.28.09	PRICING

MCINTYRE RESIDENCE
3234 PACIFIC AVENUE
SAN FRANCISCO, CA 94118



ROOF DECK
ELECTRICAL PLAN

HW2.3